

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2322147-1
Report Reference E184198-20230623
Date 15-Sep-2023

Issued to: BARTEC GmbH
Max-Eyth-Str. 16
Bad Mergentheim 97980
Germany

This is to certify that representative samples of NOIV8 - Auxiliary Devices for Use in Hazardous Locations
Certified for Canada - Component
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.


Standard(s) for Safety: CSA C22.2 NO. 213-17, 3rd Ed., Issue Date: 2017-09-15, Revision Date: 2021-04-01, CSA C22.2 No. 60947-1, Edition 2, Issued 2013-07-01, CSA C22.2 No. 60947-5-1, Edition 1, Issued 2014-03-01

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.


Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2322147-1
Report Reference E184198-20230623
Date 15-Sep-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Control switch module type 07-3332-1, f/b three numbers and/or letters for characteristics without influence on the explosion protection, f/b / , f/b four numbers and/or letters for characteristics without influence on the explosion protection.	Auxiliary Devices for HazLoc
Illuminated indicator module type 07-335, f/b 2 or 4, f/b -, f/b 1 or 4, f/b 1 or 4, f/b 1, 2, 3, 4, or 5, f/b 0, f/b /, f/b four numbers and/or letters for characteristics without influence on the explosion protection.	Auxiliary Devices for HazLoc
Illuminated push button module type 07-336, f/b 2 or 4, f/b -, f/b 1 or 4, f/b 1, 2, 5, 6, 7 or 8 , f/b 1, 2, 3, 4 or 5, f/b 0, f/b /, f/b four numbers and/or letters for characteristics without influence on the explosion protection.	Auxiliary Devices for HazLoc
Potentiometer module Type 07-337, f/b 2 or 4, f/b -, f/b 1 or 4, f/b D, f/b number or letter for characteristics without influence on the explosion protection, f/b 0, f/b /, f/b four numbers and/or letters for characteristics without influence on the explosion protection	Auxiliary Devices for HazLoc
Switch module Type 07-332, f/b 2 or 4, f/b -, f/b 1 or 4, f/b 1, 2 or 4, f/b 0 or 1, f/b 0, f/b /, f/b four numbers and/or letters for characteristics without influence on the explosion protection.	Auxiliary Devices for HazLoc
Switch module Type 07-3382-, f/b 1, 2, 3, 4 or 5, f/b three numbers and/or letters for characteristics without influence on the explosion protection, f/b /, f/b four numbers and/or letters for characteristics without influence on the explosion protection.	Auxiliary Devices for HazLoc


Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2325488-1
Report Reference E184198-20230623
Date 15-Sep-2023

Issued to: BARTEC GmbH
Max-Eyth-Str. 16
Bad Mergentheim 97980
Germany

This is to certify that representative samples of NOIV2 - Auxiliary Devices for Use in Hazardous Locations - Component
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.


Standard(s) for Safety: UL 121201, 9th Ed., Issue Date: 2017-09-15, Revision Date: 2021-04-01, UL 60947-1, 5th Ed., Issue Date: 2013-07-31, UL 60947-5-1, 3rd Ed., Issue Date: 2014-03-28

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.


Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2325488-1
Report Reference E184198-20230623
Date 15-Sep-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Control switch module type 07-3332-1, f/b three numbers and/or letters for characteristics without influence on the explosion protection, f/b / , f/b four numbers and/or letters for characteristics without influence on the explosion protection.	Auxiliary Devices for HazLoc
Illuminated indicator module type 07-335, f/b 2 or 4, f/b -, f/b 1 or 4, f/b 1 or 4, f/b 1, 2, 3, 4, or 5, f/b 0, f/b /, f/b four numbers and/or letters for characteristics without influence on the explosion protection.	Auxiliary Devices for HazLoc
Illuminated push button module type 07-336, f/b 2 or 4, f/b -, f/b 1 or 4, f/b 1, 2, 5, 6, 7 or 8 , f/b 1, 2, 3, 4 or 5, f/b 0, f/b /, f/b four numbers and/or letters for characteristics without influence on the explosion protection.	Auxiliary Devices for HazLoc
Potentiometer module Type 07-337, f/b 2 or 4, f/b -, f/b 1 or 4, f/b D, f/b number or letter for characteristics without influence on the explosion protection, f/b 0, f/b /, f/b four numbers and/or letters for characteristics without influence on the explosion protection	Auxiliary Devices for HazLoc
Switch module Type 07-332, f/b 2 or 4, f/b -, f/b 1 or 4, f/b 1, 2 or 4, f/b 0 or 1, f/b 0, f/b /, f/b four numbers and/or letters for characteristics without influence on the explosion protection.	Auxiliary Devices for HazLoc
Switch module Type 07-3382-, f/b 1, 2, 3, 4 or 5, f/b three numbers and/or letters for characteristics without influence on the explosion protection, f/b /, f/b four numbers and/or letters for characteristics without influence on the explosion protection.	Auxiliary Devices for HazLoc


Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2322145-1
Report Reference E184198-20230623
Date 15-Sep-2023

Issued to: BARTEC GmbH
Max-Eyth-Str. 16
Bad Mergentheim 97980
Germany

**This is to certify that
representative samples of**

NWFN8 - Auxiliary Devices for Use in Zone Classified
Hazardous Locations Certified for Canada - Component
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the
component requirements in the Standard(s) indicated on
this Certificate. UL Recognized components are incomplete
in certain constructional features or restricted in
performance capabilities and are intended for installation in
complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety:

CSA C22.2 No. 60079-11, Edition 2, Issued 2014-02-01,
CSA C22.2 No. 60947-1, Edition 2, Issued 2013-07-01,
CSA C22.2 No. 60947-5-1, Edition 1, Issued 2014-03-01,
CSA C22.2 NO. 60079-1, 3rd Ed., Issue Date: 2016-05-01,
CSA C22.2 No. 60079-7, Edition 2, Issued 2016-10-01,
CSA C22.2 NO. 60079-0:19, 4th Ed., Issue Date: 2019-02-
01

Additional Information:

See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2322145-1
Report Reference E184198-20230623
Date 15-Sep-2023

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Deborah Jennings-Conner
Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2322145-1
Report Reference E184198-20230623
Date 15-Sep-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Control switch module type 07-3332-1, f/b three numbers and/or letters for characteristics without influence on the explosion protection, f/b /, f/b four numbers and/or letters for characteristics without influence on the explosion protection.	Auxiliary Devices for HazLoc
Illuminated indicator module type 07-335, f/b 2 or 4, f/b -, f/b 1 or 4, f/b 1 or 4, f/b 1, 2, 3, 4, or 5, f/b 0, f/b /, f/b four numbers and/or letters for characteristics without influence on the explosion protection.	Auxiliary Devices for HazLoc
Illuminated push button module type 07-336, f/b 2 or 4, f/b -, f/b 1 or 4, f/b 1, 2, 5, 6, 7 or 8, f/b 1, 2, 3, 4 or 5, f/b 0, f/b /, f/b four numbers and/or letters for characteristics without influence on the explosion protection.	Auxiliary Devices for HazLoc
Potentiometer module Type 07-337, f/b 2 or 4, f/b -, f/b 1 or 4, f/b D, f/b number or letter for characteristics without influence on the explosion protection, f/b 0, f/b /, f/b four numbers and/or letters for characteristics without influence on the explosion protection.	Auxiliary Devices for HazLoc
Switch module Type 07-332, f/b 2 or 4, f/b -, f/b 1 or 4, f/b 1, 2 or 4, f/b 0 or 1, f/b 0, f/b /, f/b four numbers and/or letters for characteristics without influence on the explosion protection.	Auxiliary Devices for HazLoc
Switch module Type 07-3382-, f/b 1, 2, 3, 4 or 5, f/b three numbers and/or letters for characteristics without influence on the explosion protection, f/b /, f/b four numbers and/or letters for characteristics without influence on the explosion protection.	Auxiliary Devices for HazLoc

Deborah Jennings-Conner
Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2325486-1
Report Reference E184198-20230623
Date 15-Sep-2023

Issued to: BARTEC GmbH
Max-Eyth-Str. 16
Bad Mergentheim 97980
Germany


This is to certify that representative samples of NWFN2 - Auxiliary Devices for Use in Zone Classified Hazardous Locations - Component
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: UL 60079-1, Edition 7, Issued 2015-09-18, Revised 2020-01-23, UL 60079-11, 6th Ed., Issue Date: 2013-02-15, Revision Date: 2018-09-14, UL 60947-1, 5th Ed., Issue Date: 2013-07-31, UL 60947-5-1, 3rd Ed., Issue Date: 2014-03-28, UL 60079-0, Edition 7, Issued 2019-03-26, Revised 2020-04-15, UL 60079-7, Edition 5, Issued 2017-02-24, Revised 2021-06-03

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.


Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2325486-1
Report Reference E184198-20230623
Date 15-Sep-2023

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Deborah Jennings-Conner
Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2325486-1
Report Reference E184198-20230623
Date 15-Sep-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Control switch module type 07-3332-1, f/b three numbers and/or letters for characteristics without influence on the explosion protection, f/b /, f/b four numbers and/or letters for characteristics without influence on the explosion protection.	Auxiliary Devices for HazLoc
Illuminated indicator module type 07-335, f/b 2 or 4, f/b -, f/b 1 or 4, f/b 1 or 4, f/b 1, 2, 3, 4, or 5, f/b 0, f/b /, f/b four numbers and/or letters for characteristics without influence on the explosion protection.	Auxiliary Devices for HazLoc
Illuminated push button module type 07-336, f/b 2 or 4, f/b -, f/b 1 or 4, f/b 1, 2, 5, 6, 7 or 8, f/b 1, 2, 3, 4 or 5, f/b 0, f/b /, f/b four numbers and/or letters for characteristics without influence on the explosion protection.	Auxiliary Devices for HazLoc
Potentiometer module Type 07-337, f/b 2 or 4, f/b -, f/b 1 or 4, f/b D, f/b number or letter for characteristics without influence on the explosion protection, f/b 0, f/b /, f/b four numbers and/or letters for characteristics without influence on the explosion protection.	Auxiliary Devices for HazLoc
Switch module Type 07-332, f/b 2 or 4, f/b -, f/b 1 or 4, f/b 1, 2 or 4, f/b 0 or 1, f/b 0, f/b /, f/b four numbers and/or letters for characteristics without influence on the explosion protection.	Auxiliary Devices for HazLoc
Switch module Type 07-3382-, f/b 1, 2, 3, 4 or 5, f/b three numbers and/or letters for characteristics without influence on the explosion protection, f/b /, f/b four numbers and/or letters for characteristics without influence on the explosion protection.	Auxiliary Devices for HazLoc


Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>